


NA762A-G3

单塔8盘位32G PCIe 直连磁盘阵列




高优质硬件RAID处理器，数据保护一把罩

NA762A-G3内建高阶硬件式RAID控制器，高性能双核心1.2GHz Storage专用处理器再加上1GB具ECC规格的SDRAM能够在高效能的情况下不占用主计算机性能，并且提供多元RAID等级选项从RAID 0, 1, 10, 3, 5, 6, 30, 50, 60 为专业编辑人士编辑创作时提供高速传输同时又具数据保护的功能。



第三代 PCIe – 体验从未有过的高速传输

NA762A-G3与计算机主机传输接口采用高带宽的PCIe第三代每秒8Gbps的带宽，在x4 lane 的规格可得高达32Gb/s 的总带宽传输。随货附上安装于主机端的PCIe 3.0 x4的转接卡，能将主板上的PCIe 3.0 x4内部插槽转换成外接的接口与NA762A-G3相连接，外接的PCIe 3.0 x4可提供总传输带宽达32Gbps的超高速数据传输。




支持各种SAS硬盘和SATA硬盘

硬盘接口可相容于各种SAS 12G/6G 或者SATA 6G/3G的硬盘。



容量与速度兼具的最佳8盘位桌机

NA762A-G3前方设计有8个Tray盘，每个Tray盘可安装高达10TB的超大容量硬盘，不论容量或速度都是一等一。



* 注: 测试结果及效能可能因硬件或操作系统不同而略有误差。

最佳通风气流设计

内建两个8 x 8 x 2.5公分的大风扇，藉由优化磁盘背板通风孔设计让风扇能顺畅将硬盘热气经由前方冷空气一路带往后方排出。外加可调式风速功能让用户能够在低噪音与适当温度中找到一个最佳平衡点。



兼容于Windows、Mac、Linux 多项作业平台

淮进科技NA762A-G3提供多平台的驱动程序，因此能够完美的安装于常用的作业平台，不论是Windows、Linux或者是Mac OS都能够藉由NA762A-G3来增加更多的存储容量。



详细规格

Host Interface	外接式 PCIe 3.0 x4 端口, 资料带宽最大 32Gb/s
Controller & RAID Feature	Dual Core 1.2G RAID-on-Chip Processor 1GB on-board SDRAM with ECC protection Supports RAID Level 0, 1, 10(1E), 3, 5, 6, 30, 50, 60, Single Disk or JBOD Multiple RAID Selection Online Array Roaming Online RAID Level/Stripe Size Migration Online Capacity Expansion and RAID Level Migration Simultaneously Greater than 2TB Capacity per Disk Drive Support
Storage	Supports up to 8 SAS 12G/6G or SATA 6Gb/s 3.5" HDDs (硬盘为选购) Stylish Aluminum Housing with Solid Metal Structure Individual Key lock of each HDD tray for physical security
Monitors/Indicators	Web base GUI RAID Manager for Remote Management SMTP Support for Email Notification SNMP Support for Remote Manager FAN fail LED Over Temperature LED HDD fail LEDs
Fan Cooler	Two 80x 80x 25mm Hot-Swappable
Power Supply	Server-grade 300W Single Power Supply Low-noise Design Universal: 100~240VAC, 50/60Hz
Environmental Requirements	Operation Temperature: 5°C ~ 50°C Storage Temperature: -20°C~ 70°C Operation Humidity: 10% ~ 80%, non-condensing Storage Humidity: 5% ~ 95%
Dimension	231(D) x 156(W) x 365(H) mm 9.1(D) x 6.1(W) x 14.4(H) inch
Operating System	Mac OS X 10.12.3 above Windows 10/8 Linux
Package Content	机台本体 x 1 硬盘Tray盘 x 8 (已安装于机台本体上) PCIe 传输线 x 1 (1.5米长) 硬盘固定座螺丝 x 32 硬盘锁钥匙 x 2 电源线 x 1